

⑩ 日本国特許庁 (J P)

⑪ 実用新案出願公開

⑬ 公開実用新案公報 (U)

昭61-109367

⑫ Int. Cl. A

A 47 G 29/00
F 16 B 47/00

識別記号

庁内整理番号

K-7909-3B
A-6814-3J

⑬ 公開 昭和61年(1986)7月11日

審査請求 有 (全2頁)

⑭ 考案の名称 吸盤付物掛具

⑮ 実 願 昭59-193969

⑯ 出 願 昭59(1984)12月21日

⑰ 考 案 者 矢 内 太 郎 前橋市大手町3丁目6番15号 宮沢俊樹方

⑱ 出 願 人 矢 内 太 郎 前橋市大手町3丁目6番15号 宮沢俊樹方

⑲ 実用新案登録請求の範囲

硬質材で逆さ碗形に成形した押え碗4の、山形にした収容部6の端縁を延長して、幅広い押え部7にし、これを軟質材で成形した吸盤1の接着縁1'上に重ね、押え部7を吸盤1より少許大径にし、その先端縁を下向きに突出させて突縁8を設け、突縁8の吸盤1の接着縁1'を被覆し、押え碗4の頂部5に吸盤1の引上げ用の螺釘3を緩挿し、螺釘3を物掛用把手9に螺合させた吸盤付物掛具。

図面の簡単な説明

第1図はこの考案品の吸着状態を示す縦断正面図、第2図は同じく吸着着手の状態を示す縦断正面図、第3図を一部を欠截して示した平面図である。

1……吸盤、1'……接着縁、4……押え碗、5……押え碗の頂部、6……押え碗の収容部、7……押え碗の押え部、8……突縁、9……物掛用把手。




図 2





図 3



(19) JIPO**(12) Utility Model Publication Gazette**

(11) Japanese Utility Model Laid-Open Publication No. Sho61-109367

5 (43) Date of publication of application: July 11, 1987

(54) Title: Hanging-type suction device

(72) Devisor: Omitted

(71) Applicant: Omitted

(57) Claims:

10 A hanging-type suction device comprising: an inverted dish-like pressing plate 4 made of a hard material, the inverted dish-like pressing plate having a central receiving portion 6 formed in a frusto-conical shape and a peripheral pressing portion 7 having a large width and extending
15 outwardly from a circumferential edge of the receiving portion 6; a disc-like suction plate 1 positioned below the peripheral pressing portion 7 of the pressing plate 4, the suction plate 1 being made of soft material and having a contact portion 1'; a screw rod 3 installed vertically at a
20 center portion of a flat top portion 5 of the central receiving portion 6 so as to allow the suction plate 1 to be pulled up upon the sucking operation; and a grip 9 fit around the screw rod 5 in such fashion as to be screw-engaged with the screw rod 5,

25 wherein the peripheral pressing portion 7 is slightly

larger in diameter than the suction plate 1 and is formed with a rim portion 8 protruding downwardly from a circumferential edge thereof, so that the peripheral pressing portion 7 is superposed on the contact portion 1' of the disc-like suction plate 1 in such fashion that the rim portion 8 surrounds the contact portion 1'.

【Description of Drawings】

FIG. 1 is a vertical cross-sectional view illustrating a hanging-type suction device in a sucking state according to the present device;

FIG. 2 is a vertical cross-sectional view illustrating a hanging-type suction device in an initial sucking state according to the present device; and

FIG. 3 is a partial top plan view illustrating a state in which a hanging-type suction device is incised partially according to the present device.

【Drawings】

20 Omitted